



PL GOLD DEPOSIT METALLIC SCREEN FIRE ASSAY CHECK ASSAYS

| Hole | From (m) | To (m) | Length (m) | Original Fire Assay Au gpt | Coarse Fraction Au gpt | Fine Fraction Au gpt | MSFA Total Gold Au gpt | Au % Change | Revised Composite Au gpt | Composite % Change |
|-----------|----------|--------|------------|----------------------------|------------------------|----------------------|------------------------|-------------|--------------------------|--------------------|
| M-17-04 | 110 | 112 | 2.00 | 9.29 | | | | | 15.61 | 68% |
| Including | 110 | 111 | 1.00 | 1.12 | 0.12 | 0.90 | 1.02 | -9.00% | | |
| | 111 | 112 | 1.00 | 17.46 | 16.67 | 13.52 | 30.20 | 73.00% | | |
| M-17-05 | 77 | 80 | 3.00 | 7.67 | | | | | 7.05 | -8.00% |
| Including | 77 | 78 | 1.00 | 4.34 | 1.42 | 4.45 | 5.87 | 35.30% | | |
| | 78 | 79 | 1.00 | 1.10 | 0.02 | 0.92 | 0.95 | -14.00% | | |
| | 79 | 80 | 1.00 | 17.56 | 1.42 | 12.92 | 14.34 | -18.30% | | |
| M-17-06 | 35.25 | 36.9 | 1.65 | 6.05 | 1.79 | 2.54 | 4.32 | -28.60% | 4.32 | -28.60% |
| M-17-06 | 47.15 | 48.42 | 1.27 | 0.90 | | | | | 0.75 | -17.00% |
| Including | 47.15 | 48.15 | 1.00 | 0.03 | 0.00 | 0.01 | 0.02 | -33.30% | | |
| | 48.15 | 48.42 | 0.27 | 4.11 | 0.17 | 3.28 | 3.45 | -16.10% | | |
| M-17-06 | 60.70 | 62.60 | 1.90 | 1.62 | | | | | 1.39 | -13.83% |
| Including | 60.70 | 61.90 | 1.20 | 0.04 | 0.00 | 0.02 | 0.02 | -59.46% | | |
| | 61.90 | 62.60 | 0.70 | 4.33 | 0.17 | 3.59 | 3.76 | -13.16% | | |
| M-17-09 | 51.50 | 54.00 | 2.50 | 9.89 | | | | | 12.63 | 27.60% |
| | 51.50 | 52.00 | 0.50 | 3.32 | 0.12 | 2.24 | 2.36 | -28.92% | | |
| | 52.00 | 53.00 | 1.00 | 5.40 | 1.66 | 7.64 | 9.29 | 72.09% | | |
| | 53.00 | 53.28 | 0.28 | 57.64 | 22.03 | 50.55 | 72.57 | 25.91% | | |
| | 53.28 | 54.00 | 0.72 | 2.13 | 0.08 | 0.99 | 1.07 | -49.67% | | |
| M-17-10 | 23.00 | 25.00 | 2.00 | 4.60 | | | | | 4.77 | 3.70% |
| Including | 23.00 | 24.00 | 1.00 | 6.04 | 0.05 | 6.76 | 6.81 | 12.70% | | |
| | 24.00 | 25.00 | 1.00 | 3.16 | 0.03 | 2.73 | 2.73 | -13.60% | | |
| M-17-10 | 64.00 | 66.00 | 2.00 | 26.73 | | | | | 24.18 | -9.60% |
| Including | 64.00 | 65.00 | 1.00 | 0.11 | 0.00 | 0.05 | 0.05 | -52.80% | | |
| | 65.00 | 66.00 | 1.00 | 53.36 | 11.51 | 36.75 | 48.26 | -9.50% | | |
| M-17-11 | 62.40 | 63.95 | 1.55 | 6.45 | | | | | 11.87 | 84.10% |
| Including | 62.40 | 63.35 | 0.95 | 9.71 | 4.48 | 14.05 | 18.53 | 90.80% | | |
| | 63.35 | 63.95 | 0.60 | 1.29 | 0.01 | 1.33 | 1.34 | 3.90% | | |
| M-17-11 | 74.00 | 75.26 | 1.26 | 5.98 | | | | | 8.13 | 36.10% |
| Including | 74.00 | 74.85 | 0.85 | 0.85 | 0.00 | 1.01 | 1.02 | 19.50% | | |
| | 74.85 | 75.26 | 16.61 | 16.61 | 13.47 | 9.42 | 22.89 | 37.80% | | |
| M-17-11 | 12.30 | 15.85 | 3.55 | 20.24 | | | | | 19.83 | -2.01% |
| Including | 12.30 | 12.60 | 0.30 | 131.29 | 25.00 | 91.00 | 116.00 | -11.65% | | |
| | 12.60 | 13.65 | 1.05 | 1.39 | 0.04 | 1.18 | 1.22 | -12.23% | | |
| | 13.65 | 15.85 | 2.20 | 14.09 | 1.80 | 13.80 | 15.60 | 10.72% | | |

| | | | | | | | | | | |
|------------------|--------|--------|------|--------|-------|--------------------------------------|--------|----------------|-------|---------------|
| M-17-11 | 33.05 | 36.15 | 3.10 | 2.01 | | | | | 2.26 | 12.86% |
| <i>Including</i> | 33.05 | 34.75 | 1.70 | 0.13 | 0.00 | 0.03 | 0.03 | -76.92% | | |
| | 34.75 | 35.82 | 1.07 | 0.16 | 0.00 | 0.13 | 0.13 | -17.72% | | |
| | 35.82 | 36.15 | 0.33 | 17.67 | 0.70 | 20.00 | 20.70 | 17.15% | | |
| M-17-11 | 60.95 | 62.40 | 1.45 | 0.08 | 0.00 | 0.02 | 0.02 | -80.77% | | |
| M-17-12 | 29.00 | 33.00 | 4.00 | 8.79 | | | | | 9.37 | 6.60% |
| <i>Including</i> | 29.00 | 30.00 | 1.00 | 3.57 | 0.05 | 4.37 | 4.42 | 23.70% | | |
| | 30.00 | 31.00 | 1.00 | 21.23 | 0.25 | 18.86 | 19.11 | -10.00% | | |
| | 31.00 | 32.00 | 1.00 | 8.50 | 2.06 | 10.07 | 12.13 | 42.70% | | |
| | 32.00 | 33.00 | 1.00 | 1.87 | 0.00 | 1.84 | 1.84 | -1.60% | | |
| M-17-12 | 65.00 | 66.50 | 1.50 | 14.58 | | | | | 14.3 | -2.00% |
| <i>Including</i> | 65.00 | 65.50 | 0.50 | 1.29 | 0.01 | 1.15 | 1.16 | -10.10% | | |
| | 65.50 | 66.50 | 1.00 | 21.23 | 0.24 | 20.62 | 20.86 | -1.70% | | |
| M-17-12 | 78.00 | 80.00 | 2.00 | 6.07 | | | | | 12.36 | 103.60% |
| <i>Including</i> | 78.00 | 79.00 | 1.00 | 3.51 | 5.24 | 3.36 | 8.61 | 145.30% | | |
| | 79.00 | 80.00 | 1.00 | 8.62 | 7.13 | 9.02 | 16.10 | 86.80% | | |
| M-17-13 | 245.00 | 246.00 | 1.00 | 7.66 | 0.61 | 12.03 | 12.64 | 65.00% | 12.64 | 65.00% |
| M-17-14 | 38.10 | 38.47 | 0.37 | 11.03 | 0.40 | 10.00 | 10.40 | -5.71% | | |
| M-17-14 | 45.55 | 47.25 | 1.70 | 53.08 | | | | | 25.64 | -51.69% |
| <i>Including</i> | 45.55 | 46.35 | 0.80 | 0.05 | 0.00 | 0.02 | 0.02 | -70.00% | | |
| | 46.35 | 46.65 | 0.30 | 298.05 | 34.00 | 110.00 | 144.00 | -51.69% | | |
| | 46.65 | 47.25 | 0.60 | 1.29 | 0.00 | 0.63 | 0.63 | -51.16% | | |
| M-17-15 | 57.00 | 59.00 | 2.00 | 2.48 | | | | | 1.91 | -23.10% |
| | 57.00 | 58.50 | 1.00 | 0.40 | 0.00 | 0.30 | 0.31 | -22.50% | | |
| | 58.00 | 59.00 | 1.00 | 4.57 | 0.04 | 3.48 | 3.52 | -23.00% | | |
| M-17-16 | 84.00 | 87.25 | 3.25 | 5.75 | | | | | 8.66 | 50.60% |
| | 84.00 | 84.50 | 0.50 | 0.53 | 0.03 | 0.37 | 0.40 | -24.50% | | |
| | 84.50 | 85.50 | 1.00 | 16.19 | 16.43 | 9.23 | 25.70 | 58.70% | | |
| | 85.50 | 87.25 | 1.75 | 1.28 | n.s. | n.s. | n.s. | | | |
| M-18-65 | 79.91 | 82.00 | 2.09 | 6.15 | | | | | 2.31 | -62.40% |
| <i>Including</i> | 79.91 | 81.00 | 1.09 | 11.00 | 1.15 | 2.27 | 3.43 | -68.80% | | |
| | 81.00 | 82.00 | 1.00 | 0.87 | 0.03 | 1.07 | 1.10 | 26.00% | | |
| | | | | | | Average Variance all samples | | -0.82% | | 12.00% |
| | | | | | | Average Variance - 0 to 3g/t | | -27.56% | | |
| | | | | | | Average Variance - Plus 3g/t | | 22.50% | | |
| | | | | | | Average Variance - Plus 5g/t | | 31.69% | | |
| | | | | | | Average Variance - Plus 10g/t | | 23.53% | | |